


A liquid screed bar is used daily by liquid screed layers. Therefore it should be practical and flexible in handling and especially in transport.

We have now the optimal solution. With our Liquid screed bar VARIO you need only 1 Liquid screed bar which can be individually adapted and you save costs for the purchase of different lengths.

The tube is screwable and can be extended in steps of 40cm. The length can be varied from 80 cm to 320 cm depending on the construction site



The handle bars are fastened by means of a quick-release




The clip-in crossbar can be adjusted in height and serves as a holder for the supplied waste container.

Liquid screed bar Vario handles 45° with 2 handles

Item length


2730-086	0,8 m
2730-125	1,2 m
2730-165	1,6 m
2730-205	2,0 m
2730-245	2,4 m
2730-285	2,8 m
2730-325	3,2 m



Liquid screed bar handles 90° with 2 handles

Item length

2730-085	0,8 m
2730-120	1,2 m
2730-160	1,6 m
2730-200	2,0 m
2730-240	2,4 m
2730-280	2,8 m
2730-320	3,2 m




Liquid screed bar handles 45° with 1 handle, length 0,8 m

Item 2730-081



Liquid screed bar handles 90° with 1 handle, length 0,8 m


Item 2730-080



Extension piece with thread

Item length

2730-920	0,2 m
2730-940	0,4 m



Case for Liquid screed bar weight 3,3 kg

Item 2730-990



Scope of delivery for each liquid screed bar (depending on length):
Base body, handle, end caps, threaded tube 20/40 cm, cross bar, waste container, wrench

SINGLE PARTS

INNOXAT

Base body 80 cm
1 handle

Item 2730-981



Base body 80 cm
2 handles

Item 2730-982



Coupling MT IG
with 2 secured handles

Item 2730-988



Key
steel

Item 2730-945



Handle bar 90°
with coupling and 2K-handle

Item 2730-960



Handle bar 45°
with coupling and 2K-handle

Item 2730-961



Cross brace
with pipe clamps

Item 2730-950



Waste container
to hang in

Item 2730-957



End cap with AG
2 cm

Item 2730-900

