



scan & watch the video



**INNOXAT**

**BATTERY-POWERED SMOOTHING MACHINE**

**CABLE-FREE · ERGONOMIC · POWERFUL**

**Item. 5010-000**

## THE FUTURE FOR SCREED LAYERS

### BATTERY-POWERED SMOOTHING MACHINE WITHOUT CABLE

Makes everyday work much easier and includes many great features specially adapted to the needs of the user on the construction site.

#### No more annoying cable winding and unwinding and no more dangerous tripping hazards.

The battery-powered smoothing machine comes with a battery-powered LED light, flooring trowel, bluetooth speaker and a water bottle.

#### MADE IN AUSTRIA

The smoothing machine is produced in-house in Austria. We have a very high quality standard, so every machine goes through a strict quality control.



### MAXIMUM POWER

The battery-powered smoothing machine is operated with two 56 volt, 12 Ah high-performance batteries. The total weight of both batteries is 7.3 kg.

With a battery runtime of up to **110 min**, around **300 m<sup>2</sup>** of screed can be smoothed.

The charging time of a battery is only 80 minutes.

The battery lifetime is 1200 charging cycles, after which it still has a capacity of at least 60%.



### TWO SPEEDS

130 and 155 rpm



### BATTERY LEVEL INDICATOR

The charge level is permanently displayed and is also visible at all times during work.

## MAXIMUM COMFORT

### THE MOTOR PROTECTION BAR

The motor protection bar, which is also a fold-out carrying handle, protects the spine during transport.

### THE DRAWBAR

The drawbar is ergonomically shaped and can be continuously adjusted to the user's height by a gas pressure damper.

### THE SWITCH

The switch is operated with the whole hand and this prevents overloading of the index finger.

## MAXIMUM USER EXPERIENCE

### SOFT START

The soft start of the motor protects the user and makes starting much more comfortable.

### SWITCH OFF

The soft start of the motor protects the user and makes starting much more comfortable.

### CONTROL

The smoothing machine can be controlled with very little effort.



## INDIVIDUALLY EXPANDABLE

Smoothing discs in various designs and dimensions can be easily attached by adapters, aluminium support plate or flange connection.

Our accessories for the battery-powered smoothing machine include everything that the user need. This means charger and batteries with suitable transport case, as well as a variety of high-quality smoothing discs and sanding discs.

Of course, all items are also available separately.

**NOTE:** The INNOXAT battery-powered smoothing machine weighs 44.3 kg including both batteries. The weight of the respective smoothing disc has to be added.

### SMOOTHING TROWEL DISC PRESSED

Diameter 60 cm

Item.	Version	Weight
5040-601	45° edge, 3 mm	8,0 kg
5040-602	45° edge, 3,5 mm	8,7 kg
5040-604	flat edge, 4 mm	9,5 kg



### SMOOTHING TROWEL DISC TURNED WITH ALUMINIUM SUPPORT DISC

edge with faze, thickness 5,6 mm

Item.	Diameter	Weight
5040-600	60 cm	20,6 kg
5040-700	70 cm	24,8 kg



### SMOOTHING TROWEL DISC PRESSED

diameter 56 cm, small edge 45°, thickness 4 mm, with adapter, weight 8,9 kg

Item. 5040-560



### SANDING DISC WK 16

44 cm with support plate, weight 9,4 kg

Item. 4500-440



### BATTERY SET

2 batteries, 1 quick charger (for single battery), 1 transport box

Item. 5020-000

